

Weather Station for our Friends in Africa

Current partners: Uganda, Benin, Ghana

Idea

We build our own data loggers based on ESP32. Data transmission is done via Wifi, Cellular Network or LoRaWAN.

Sensors

An initial set of sensors:

Tipping Bucket Rain Gauge

Rain Sensor
Comply with National Standard
GB/T 21978.2-2014

- Precise Measurement
- 304 Stainless Steel
- Strong Anti-interference

UICPAL Sensors
[rs-yl-n01-5.pdf](#)

The image shows a cylindrical stainless steel tipping bucket rain gauge. To its left are three icons: a scale for 'Precise Measurement', a pair of hands for '304 Stainless Steel', and a lightning bolt for 'Strong Anti-interference'. The text 'Comply with National Standard GB/T 21978.2-2014' is at the top.

Wind Velocity (Anemometer)

Wind Speed Transmitter

Output →
RS485
4-20mA
0-5V
0-10V

- Small Rotational Resistance
- Highly Sensitive
- Waterproof and Anti-corrosion
- Resolution: 0.1 m/s
- Range: 0-30m/s

UICPAL Sensors
Data Sheet: [pr-3000-fsjt-n01.pdf](#)

The image shows a cup anemometer with three cups. To its left is a list of output options (RS485, 4-20mA, 0-5V, 0-10V) and a list of features: Small Rotational Resistance, Highly Sensitive, Waterproof and Anti-corrosion, Resolution: 0.1 m/s, and Range: 0-30m/s. The title 'Wind Speed Transmitter' is in a blue box at the top.

Wind Direction

Wind Direction Sensor
Output RS485 / 4-20mA / 0-5V / 0-10V



- Anti-corrosion and rust prevention
- Accurate measurement
- Strong anti-interference ability
- The range is wide
- Range: 8 directions

UICPAL Sensors

Data Sheet: [pr-3000-fxjt-n01.pdf](#)

Air Temperature

- PT100 (best)
- DS18B20

Air Humidity

Air Pressure

From:
<https://wiki.eolab.de/> - **HSRW EOLab Wiki**

Permanent link:
https://wiki.eolab.de/doku.php?id=eolab:weather_station:diy:start&rev=1712839838

Last update: **2024/04/11 14:50**

